DOCUMENT RESUME

ED 042 625 SE 009 346

AUTHOR	Bitzer, D.; Skaperdas, D.
TITLE	The Design of an Economically Viable Large-Scale Computer Based Education System.
INSTITUTION	Illinois Univ., Urbana. Computer-Based Education Lab.
SPONS AGENCY	National Science Foundation, Washington, D.C.; Office of Naval Research, Washington, D.C. Advanced Research Projects Agency.
REPORT NO	CERL-X-5
PUB DATE	Feb 69
NOTE	39p.
EDRS PRICE	EDRS Price MF-$0.25 HC-$2.05
DESCRIPTORS	*Computer Assisted Instruction, *Computer Oriented Programs, *Educational Research, Educational Technology, *Instruction
IDENTIFIERS	PLATO

ABSTRACT

This report describes the development of an economically viable teaching system using a computer-based educational system. The PLATO system, used at the University of Illinois for the past nine years, is discussed. The authors report that by using newly-developed technological devices it is economically and technically feasible to develop large-scale computer-controlled teaching systems for handling 4000 teaching stations. The cost of instruction would be comparable to the cost of teaching in elementary schools. (Author/FL)

ED 042625

CERL REPORT X-5 FEBRUARY, 1969

U.S. DEPARTMENT OF HEALTH, EDUCATION & WELFARE
OFFICE OF EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL OFFICE OF EDUCATION POSITION OR POLICY.

THE DESIGN OF AN ECONOMICALLY VIABLE LARGE-SCALE COMPUTER BASED EDUCATION SYSTEM

D. BITZER
D. SKAPERDAS

Computer-based Education Research Laboratory

University of Illinois Urbana Illinois

SE 009 346

ED042625

This work was supported in part by the National Science Foundation under Contract NSF GJ 81, in part by the Advanced Research Projects Agency through the Office of Naval Research under Contract Nonr 3985(08), in part by the Joint Services Electronics Program (U.S. Army, U.S. Navy, and U.S. Air Force), in part by the Public Health Service, Division of Nursing of the U.S. Department of Health, Education and Welfare under Contract NPG-188-01, and in part by the U.S. Office of Education under Contract OE-6-10-184.

Reproduction in whole or in part is permitted for any purpose of the United States Government.

Distribution of this report is unlimited.

The Design of an Economically Viable Large-Scale Computer-based Education System*

by

D. Bitzer and D. Skaperdas

Computer-based Education Research Laboratory †

The University of Illinois has been experimenting with a computer-based educational system (PLATO) for the past eight years. This system has evolved from a single terminal connected to the ILLIAC I (a medium speed, 1954 vintage computer) to a computer classroom of 20 graphic-pictorail terminals connected to a Control Data Corporation 1604 computer. Some of the areas in which studies have been conducted are electrical engineering , geometry, biology, nursing, library science, pharmacology, chemistry, algebra, math drill, computer programming, and foreign languages. This material has been presented by use of a variety of teaching strategies, ranging from dirll and practice to student-directed inquiry. Based on these experiences and the data gathered over 70,000 student

---

*This paper was originally a report to the Commission on Instructional Technology.

† The Computer-based Education Research Laboratory is primarily supported by the following grants:

ONR Nonr 3985 (08) - Advanced Research Projects Agency
NSF GJ-81 - National Science Foundation

contact hours of credit teaching, this report describes the development of an economically viable teaching system. Some of our guidelines for developing the system's software and hardware are:

1) The computer should only be used when it is the best method of presentation. Less expensive methods such as programmed texts, films, slides, tape recorders, etc., should be used when appropriate.

2) The computer should be used as much as possible to simulate results in models constructed by the students rather than simply turning pages.

3) The system must be flexible and adaptable. It must be able to teach many subjects and present the lesson materials by a variety of teaching strategies. The system must change to meet the needs of the students and teachers, and not be limited to the off-the-shelf items presently available.

4) The method of integration into the educational system must be considered in the system design. For example, a school should be able to start with a single terminal for the incremental terminal cost instead of having to invest large sums of money for an entire system before the school has determined if it wants or needs C.B.E.

5) The cost of computer-based education should be comparable with the cost of teaching at the elementary grade school level. Cost effectiveness should be determined by an hour to hour cost comparison (25¢-30¢ per terminal hour for use of the computer and terminal).

A present student terminal consists of a keyset and a television monitor as shown in Fig. 1. Information viewed on the television monitor is composed of a slide selected by the computer (randon-access time less than 1 millionth of a second) and a superimposed image of graphs, diagrams, and/or alphanumeric characters drawn by the computer in a point-by-point

fashion. The student uses the keyset for constructing answers, questions and for setting up simulated or real experiments as well as for controlling his progress through the lesson material. The computer responds to the student's requests within one tenth of a second.

The computer also controls other devices, such as movie projectors, lights, etc. The students at the terminals can interact with each other through the computer, thus permitting games to be played which require communication between the players.

In addition to keeping detailed records of the student's performance, the computer can provide individualized instruction, immediate feedback, and remedial training by the use of complex internal branching and the alteration of presentation or type of material based on the student's past performance. These unique features seem to make the computer an ideal instructional device for developing cognitive skills.

To encourage development of critical thinking skills, the author sets up the teaching strategy and presents the student with questions or problems so the student must think about what information he needs, about possible solutions to the problems or sources of information, interpret the data gathered, and test his solution. The computer immediately provides appropriate feedback to open-ended questions, thus reinforcing a correct approach, or in the case of an incorrect response, encouraging the student to a new approach.

The computational use of the computer appears in several ways. First, experiments can be simulated by the computer, immediately providing the student with results he uniquely requested. These same results might require hours or even days to calculate by hand. Second, a large amount of compu-

tation is involved in processing student responses. The more flexibility provided for the student to answer a question, the more feedback is needed to inform him of the correctness of his response. When only multiple-choice responses are required, the processing is relatively simple, but when the student is permitted to construct long alphanumeric and graphic responses the computer must analyze his answer to see if it is equivalent to a correct response, check for spelling and completeness of the answer, as well as inform him which part of an incorrect answer is unacceptable.

Whenever possible, algorithms are used to determine the correctness of the students' response. For example, when the student is asked to give a positive even integer, the student's answer is checked to see if it is positive and then it is divided by two and checked for a remainder. If there is no remainder, the answer is correct. The use of algorithms instead of comparing the answer against a long list of pre-stored answers not only makes the system more flexible but also saves memory space. In some cases this approach is almost a necessity. For instance, in teaching algebraic proofs, students can prove theorems in any manner as long as their statements follow logically from the available axioms and their previous statements. We have one example in which the author of the material was unable to prove a theorem in the twelve lines provided and, thus, was unable to supply even one pre-stored solution. Nonetheless, one student was able to complete the proof in the required twelve lines and was told by the computer he was correct.

To illustrate further how the computer interacts with the student we will describe some sequences taken from lessons in geometry, electrical

engineering, and maternity nursing.

A user's computer language consisting of English directives was used to write a series of 15 lessons in informal geometry.* These lessons were to give 7th and 8th grade students an understanding of geometric concepts. A grid is provided on which the student draws and manipulates geometric figures. The computer is used to determine the correctness of the figure, independent of its size, location, and orientation on the grid. The student must select points of the grid to be used as the vertices of his figure. To do this, eight keys on his keyset have been defined which move a bright spot around on the grid. (Figure 2 shows a diagram of these keys. The arrows on the keycaps indicate the direction in which the key jumps the bright spot on the grid.) Once a student has decided on a point, he communicates his selection to the computer by pressing the "MARK" key. He presses the "CLOSE" key to close the figure (connect the first point to the last point). To judge the figure the student presses "NEXT" and the computer either okays the figure or indicates the student's error.

In the following sequence, the student is asked to draw quadrilaterals with a single line of symmetry. In Fig. 3a the student is instructed to draw a quadrilateral with one line of symmetry: the two possibilities are an isosceles trapezoid and a kite. He selects the points he wishes to use for his figure and marks them. Fig. 3b shows the partial construction of the trapezoid. When four points have been marked the student closes his figure and asks the computer to judge it. In Fig. 3c the completed figure is judged and the computer points out to the student that the symmetry line for an isosceles trapezoid does not go through the vertices.

*This project was supported by the U.S. Office of Education under Contract OE-6-10-184, and by the National Science Foundation under NSF G-23554.

The student then moves to the next page of the lesson and is asked to draw a quadrilateral with a single line of symmetry that does go through the vertices (Fig. 3d). The student, however, reconstructs the trapezoid. The computer, when judging the figure, recognizes the duplication and tells the student that he has drawn the same figure as he drew before (Fig. 3e). The student then draws a kite which has a single line of symmetry through vertices and the figure is judged "OK" (Fig. 3f).

For our second case we use a sequence taken from a circuit analysis course in electrical engineering (Fig. 4). The student has just analyzed a circuit containing a battery, a switch, an inductor, and a resistor, all connected in series. His task is to determine the value of the inductor and resistor that causes the current waveform to pass through the points marked on the graph after the switch is closed. He is instructed to make the resistor value small and notice the effect on the final value of the current. By manipulating these values, the student gains an intuitive feeling for the effects of the inductance and resistance, and he can proceed in an orderly way to determine their correct values.

The third example is taken from a maternity nursing lesson* where the student is presented with a question which asks her to list two cardiovascular compensations which occur as a result of the increased blood volume during pregnancy (Fig. 5).

The student, needing information to answer this question, presses the button on her keyset labeled "INVEST". She is then presented with a slide where she indicates that she wishes to investigate "Anatomic and Physiological Changes of Pregnancy".

* This project is supported by PHS Training Grant No. NPG 188, Division of Nursing, PHS, U.S. Dept. of Health, Education and Welfare.

After choosing her area of investigation, she is presented with a slide which requests further specification. Here the student indicates that she wishes information concerning changes which occur in the circulatory system during the third trimester of pregnancy. Having done this, she presses the "Answer" button and the computer generated information tells her there is an "increase in blood volume, a 50 percent increase in cardiac work load, left ventricular hypertrophy, and vasodilation produced by an increase in progesterone". Deciding that increased work load is one compensation, she considers left ventricular hypertrophy, but needs to further clarify the word hypertrophy. By pressing the button labeled DICTIONARY, she is presented with a list of terms used in the lesson. The student types the word "hypertrophy" and the computer supplies the definition "increase in size of an organ or structure".

By pressing the button labeled "AHA", the student is returned to the question on which she was working. Here she types the answer "hypertrophy of the left ventricle" and the computer judges it "OK". However, the answer "the left ventricle" is judged NC, that is, correct but not complete. Rewording the correct answer, the student types "the left ventricle enlarges" and the computer responds "OK". However, when the student presses the "CONTINUE" button to advance to the next page, the computer prints out "Duplicate Answer". Next, the response "the left ventricle decreases in size" is entered. The computer responds "NO" and XX's out the word "decreases". Before the student can continue, she must change one of her responses to a correct answer which differs from the first.

Records of each student's request (his identity, the key pushed, and

the time to the nearest sixtieth of a second)is stored on magnetic tape. These data are processed by the same computer that is used for teaching. r We have used these records for improving course content, designing better teaching strategies, as well as for planning new, economically viable computer-based education systems.

On the basis of CERL's experience with early PLATO systems, certain design philosophies for the proposed system have been formulated. First, each student terminal requires a keyset and a display, both connected to an inexpensive data transmission system which can also drive optional equipment such as random-access audio devices, reward mechanisms, movie films, lights, and so forth. Second, each student terminal must be capable of superimposing randomly-accessed color slide images on the computer-generated graphics. Third, the system should be controlled by a large-scale centrally-located computer rather than many small computers located at the classroom sites. This decision is based upon social and administrative factors as well as on system economics. Semiconductor large-scale integration techniques may some day make the use of small computers as effective as large ones, but the added human expense of operating a computer center does not promise to scale as effectively. It is our opinion that the initial low cost of a single terminal will permit tightly-budgeted public schools systems to economically incorporate computer-based teaching into their programs. The number of terminals could be increased or decreased as the needs of the school system dictate. Fourth, the cost per student contact hour for the proposed system must be comparable with equivalent costs of traditional teaching methods.

Before discussing an economical system design from the technical viewpoint, it is necessary to consider the cost of producing lesson material.

Reported costs have ranged over a factor of 10 for producing similar lesson material. The differences in author languages can account for this wide range. The author language must be just as natural for the teacher to use as the teaching strategy is expected to be natural for the student to use. However, in the long run, the cost of lesson material should constitute only a small fraction of the educational costs just as the textbooks and lesson materials represent only a small part of educational costs today.

Preparing a good CAI course is roughly equivalent in effort to writing a good textbook. Most good authors are quite willing to produce textbooks at a 10-15% royalty rate which yields to them approximately 80¢ per student. Most textbooks are used in courses which have at least 40 hours of classroom instruction. The cost of royalties, reproduction and distribution of lesson material total to $1.20 per student, and when used for 40 hours of instruction yields an eventual cost of approximately 3¢ per student hour of instruction. The reproduction and distribution of materials for computer-assisted instruction terminals promises to be very inexpensive (approximately 40¢ per student for visual and audio materials).

Statistical records of over 70 million requests on PLATO indicate that the average request rate per student depends upon the teaching strategy used, but the product of the average request rate and the average processing time is relatively constant. For example, when using a drill-type teaching strategy the average request rate per student is one request every 2 seconds and the average processing is 10 milliseconds. When using a tutorial or inquiry strategy, the average request rate per student is one request every 4 seconds but the processing time is 20 milliseconds. We will base our calculations on the 20 millisecond processing time which is equivalent to executing

approximately 1000 instructions in the CDC 1604.

The request rate probability density function versus computer execution time is approximately an exponential curve; therefore, student requests requiring the least amount of computer time occur most frequently. For example, the simple and rapidly-processed task of storing a student's keypush in the computer and writing the character on his screen represents 70 percent of the requests. On the other hand, the lengthy process of judging a student's completed answer for correctness, completeness, spelling, etc., occurs only 7 percent of the time.

Several existing large-scale computers can perform about 4×10^6 instructions per second. Even if we double the number of instructions needed, providing 2000 per student request, it is seen that these large-scale computers require an average processing time of only 500 microseconds per request. Allowing a safety factor of two to insure excellent system response time, the system can accept an average of 1000 requests per second. This safety factor implies that the computer will be idle approximately 50 percent of the time. However, the computer time not utilized in processing the student requests can be effectively used for other purposes such as background batch processing. Since the average student request rate is 1/4 of a request per second, the system can handle up to 4000 students simultaneously, allowing one millisecond to process a request.

Assume that the student input arrival time is Poisson distributed (a reasonable assumption for 4000 independent student stations), and that the request rate probability density function versus computer execution time is approximately exponential (PLATO statistical records substantiate this).

From queuing theory [2,7] the expected waiting time E(w) that elapses before the computer (single channel) will accept a given student's request is given by

$$E(w) = \frac{\rho^2 + m\,\sigma_t^2}{2m\,(1-\rho)} \qquad (1)$$

where

m = request rate = 1.000 request/sec.,

σ_t = execution time standard deviation = 500×10^{-6} sec.,

E(t) = execution time expected value = 500×10^{-6} sec.,

ρ = mE(T) = 0.5

These values yield an expected waiting time E(w) of 500 mocroseconds. The probability P(w) that a student's request will wait a time w or longer before being served by the computer is given by

$$P(w) = \rho \exp\,[-w\,(1-\rho)/E(T)] \qquad (2)$$

The probability that a student must wait for a 0.1 second or longer is negligible. Hence the probability of a student's request queue becoming long, or of the student experiencing a noticeable delay is very small.

Presently, each student needs to be assigned approximately 300 words of extended core memory to be treated individually. The maximum used in any teaching strategy has been 600 words per student. Let us allow on the average 500 words (fifty bit) for each student for a total of 2×10^6 words for 4000 student terminals. Our data shows that 20 percent of the computer instructions refer to these words of unique student storage. Therefore, the system must be capable of rapidly transferring data between the slower extended core storage and the high-speed core memory. Some existing computers are capable fo transferring data at 10^7 words per second, requiring only 50 microseconds to transfer the data each way between the memory units.

This transfer time is acceptable.

The peak data rate from the computer to each student station is limited to 1200 bits per second to permit data transmission over low-grade telephone circuits, a system feature made possible by the use of the plasma display panel discussed later. For 4000 stations the worst case data rate would be about 4.8 million bits per second, well within the present state of the art for buffering data out of a computer.

Summarizing the computer requirements, therefore, the central computer requires about 2 million words of extended core memory capable of high-speed transfer rates to the main computer memory, it must have an execution time of approximately 4 instructions per microsecond and be capable of transmitting data at a rate of 4.8 million bits per second. There should be a sufficiently large memory (64k to 128k words) in the central processing unit for storing lessons (1k to 2k words per lesson) and for the various teaching strategies. Several existing computers meet these requirements.

The economic feasibility of the proposed teaching system is dependent upon the newly-invented plasma display panel (or equivalent device) now under development at the University of Illinois and other laboratories. This device combines the properties of memory, display and high brightness in a simple structure of potentially inexpensive fabrication. In contrast to the commonly-used cathode ray tube display, on which images must be continually regenerated, the plasma display retains its own images and responds directly to the digital signals from the computer. This feature will reduce considerably the cost of communication distribution lines. The plasma display is discussed in detail in the listed references. Briefly, it consists of a thin glass panel structure containing a retangular array

of small gas cells (about .015 inches density of about 40 cells per inch--see Fig. 6). Any cell can be selectively ignited (gas discharge turned on or turned off by proper application of voltages to the orthogonal grid structures without influencing the state of the remaining cells). Fig. 7 shows a small, developmental panel displaying two characters. Each of these characters is only one-eighth inch in height. The plasma panel is transparent, allowing the superposition of optically projected images.

A schematic of a proposed student terminal using the plasma display is shown in Fig. 8. The display will be approximately 12 inches square and will contain 512 digitally addressable positions along each axis. A slide selector and projector will allow prestored (static) information to be projected on the rear of the glass panel display. This permits the stored information to be superimposed on the panel which contains the computer-generated (dynamic) information. A prototype random-access slide selector for individual use is shown in Fig. 9. This projector is digitally addressable, pneumatically driven, and contains a matrix of 256 images on an easily removeable four-inch square plate of film. The film plate is mounted on a Cartesian-coordinate slide mechanism and can be simultaneously translated along either of the two coordinate axes to bring a desired image over a projector lens. The positions along each coordinate axis are selected by a set of four pneumatic cylinders mounted in series. The stroke length of each cylinder is weighted 8,4,2,1, the length of the smallest being 1/4 inch. Each slide selection requires less than three cubic inches of air at 8 psi. Based upon the prototype model now being tested, a low-cost image selector with approximately 0.2 second random-access time is anticipated.

Data arriving from the computer via a telephone line enteres the terminal through an input register. As previously stated, data rates to the terminal will be held to 1200 bits per second. Assuming a word length of 20 bits, the terminal could receive data at 60 words per second, an important design feature when considering standard TV tariff for communicating. With proper data formats, data rates will be adequate for the applications envisaged. For example, packing three character codes per word will permit a writing rate of 180 characters per second, which is a much faster rate than that of a good reader. Using 18 bits to specify a random point on the 512x512 array, 60 random points per second can be plotted. If the x increment is assumed such as when drawing graphs, 120 graph points per second can be plotted. In addition, continuous curves requiring only 3 bits to specify the next point can be drawn at rates of 360 points per second. The keyset will provide the student with a means of communicating with the computer. The problem of converting the fast parallel output data from the computer into serial data for transmission to terminals at 1200 bits/sec. has been studied. This can be solved by the use of small size buffer computers performing the parallel-to-serial data conversion.

In the situation where a large number of students are located at considerable distances from the central computer, costs can be lowered drastically by use of a coaxial line instead of numerous phone lines. For example, the cost of a 4.5 MHz TV channel is approximately $35 per month per mile, whereas the rate for a 3kc telephone line is approximately $3.50

per month per mile. Each TV channel can handle at least 1500 terminals on a time-shared basis, each terminal receiving 1200 bits per second. Hence, for an increase in line cost of a factor of 10 over that of a single channel, an increase of a factor of 1500 in channel capacity can be obtained. In addition to a coaxial line transmitting 1500 channels at 1200 bits per second from the computer to the terminals, a data line for transmitting the student keyset information back to the main computer center is required. A data channel of 100,000 bits/second capacity, available from Bell Telephone can handle 1500 students, allowing 60 bits/second to each student. The costs for this line are approximately $15 per month per mile. Data to remote locations will be transmitted by a coaxial line to a central point; from this point local telephone lines rented on a subscriber's service basis would transmit the proper channel to each student terminal. A block diagram of a proposed distribution system to several remote points is shown in Fig. 10.

Over 200 cities, and on a more limited scale many schools, already use community antenna television systems or closed-circuit TV. Because FM radio had already established itself prior to the spread of television, a frequency gap existed between channels 5 and 6 which is almost 8 channels wide. These existing channels can be used to communicate to over 12,000 home terminals.

The mainframe cost of a computer meeting the specified requirements is approximately 2.5 million dollars. The additional cost for two million words of memory and other input-output equipment is approximately 2 million dollars. An estimate for the system software, including some course development programming, is another 1.5 million dollars. The total of 6

million dollars amortized over the generally-accepted period of 5 years yields 1.2 million dollars per year.

Assuming that the 4000-terminal system will be in use 8 hours a day for 300 days a year, there are approximately 10 million student contact hours per year. The system costs, excluding the terminals, is thus 12¢ per student contact hour. In order for the equipment cost to be comparable to a conventional elementary school classroom cost of approximately 27¢ per student contact hour, the terminal costs must be limited to 15¢ per student contact hour, or to a total cost of about 7.5 million dollars over a 5 year period. The cost for each of the 4,000 terminals, which included a digitally-addressed graphical display device and its driver, a keyset, and a slide selector must therefore be a maximum of approximately $1900. Present indications are that this cost can be met.

Data distribution costs for a CBE center approximately 100 miles from the main computer are approximated as follows. The coaxial line rental is approximately $3500 per month, or $2.35 per terminal per month, based on 1500 terminals. The 100,000 bit/second wide-band data channel line is approximately $1500 per month, or $1.00 per terminal per month. Allowing $3.00 per terminal per month for a private telephone line from the coaxial terminals to each student terminal gives a total data distribution cost of $6.35 per terminal per month, or 4¢ per student contact hour if each terminal is used 160 hours per month. The author costs were discussed previously.

These costs, based on the above assumptions, are summarized in Chart I. The earning power of the computer for the remaining 16 hours each day

and for the idle time between student requests, which would further reduce costs, has not been included.

Conclusion

Using newly-developed technological devices it is economically and technically feasible to develop large-scale computer-controlled teaching systems for handling 4000 teaching stations which are comparable with the cost of teaching in elementary schools. The teaching versatility of a large-scale computer is nearly limitless. Even while simultaneously teaching 4000 students, the computer can take advantage of the 50 percent idle time to perform data processing at half its normal speed. In addition, 16 hours per day of computer time is available for normal computer use. The approximate computer cost of 12¢ per student contact hour pays completely for the computer even though it utilizes only 1/6 of its computational capacity. The remaining 5/6 of its capacity is available at no cost.

Table 1

SUMMARY OF COSTS

Item	Total Cost in millions of dollars	Cost/year in millions of dollars 5 years Amortization	Cost per student contact hour
Computer and extended memory	4.5	0.9	8¢
Software	1.5	0.3	4¢
4000 student terminals	7.5	1.5	15¢
Subtotal	13.5	2.7	27¢
Lesson material	-----	-----	3¢
Data distribution lines	-----	-----	4¢
TOTAL			34¢

References

1. D.L. Bitzer, W. Lichtenberger, and P.G. Braunfeld, "PLATO: An Automatic Teaching Device," IRE Trans. on Education, Vol. E-4, pp. 157-161, Dec. 1961.

2. D.L. Bitzer, and P.G. Braunfeld, "Description and Use of a Computer Controlled Teaching System," Proceedings of the National Electronics Conference, pp. 787-792, 1962.

3. D.L. Bitzer and J.A. Easley, Jr., "PLATO: A Computer-controlled Teaching System," Computer Augmentation of Human Reasoning (Washington: Spartan Books, Inc., ed. by Sass and Wilkinson) pp. 89-103, 1965.

4. E.R.Lyman, "A Descriptive List of PLATO Programs, 1960-1968," CERL Report X-2, May 1968, Computer-based Education Research Laboratory, University of Illinois, Urbana, Illinois

5. K.E. Knight, "Changes in Computer Performance," Datamation, Sept, 1966, pp. 40-54.

6. K.E. Knight, "Evolving Computer Performance 1963-1967," Datamation, Jan., 1968, pp. 31-35.

7. H.E. Goode and R.E. Machol, Control Systems Engineering, McGraw-Hill Book Co., Inc., 1957, pp. 328-343.

8. D.L. Bitzer, and H.G. Slottow, "The Plasma Display Panel--A Digitally Addressable Display with Inherent Memory," Proceedings of the Fall Joint Computer Conference, 1966, pp. 541-547.

9. D.L. Bitzer and H.G. Slottow, "Principles and Applications of the Plasma Display Panel," Proceedings of the O.A.R. Research Application Conference. Office of Aerospace Research, Arlington, Va., March, 1968, (Also appears in the Proceedings of the 1968 Micro-electronics Symposium I.E.E.E., St. Louis, 1968).

10. D.L. Bitzer and J.A. Easley, Jr., "PLATO III: A Computer-based System for Instruction and Research," Proceedings of the 16th Intnl. Congress of Applied Psy., Amsterdam, 1968.

11. D.L.Bitzer, and D. Skaperdas, "PLATO IV: An Economically Viable Large Scale Computer-based Education System," presented at the National Electronics Conference, Dec., 1968.

12. D.L. Bitzer, and D. Skaperdas, "The Economics of a Large Scale Computer-based Education System, PLATO IV," paper presented to the Conference on Computer-based Instruction, Learning & Teaching Education, Texas, Oct, 1968.

13. Bitzer, M., "Teaching a Computer-based Nursing Course," (with film narrative supplement). Presented to the 21st Annual Meeting of the Conference of Catholic Schools of Nursing, June, 1968.

14. Dennis, J.R., "Teaching Selected Geometry Topics via a Computer System," (an abbreviated version of CERL Report X-3). CERL Report X-3a, June, 1969.

15. Avner, R.A. and Paul Tenczar, "The TUTOR Manual," CERL Report X-4, 1969.

EQUIPMENT DIAGRAM FOR PLATO



FIGURE 1

FIGURE 2

a

Now let us consider quadrilaterals. Draw a quadrilateral with just one line of symmetry. (You need not draw the symmetry line, just think about it.)

b

Now let us consider quadrilaterals. Draw a quadrilateral with just one line of symmetry. (You need not draw the symmetry line, just think about it.)



c

Now let us consider quadrilaterals. Draw a quadrilateral with just one line of symmetry. (You need not draw the symmetry line, just think about it.)



OK

Notice that the symmetry line for your figure does not go through vertices.
Press -NEXT-

d

Now try to draw a quadrilateral whose only symmetry line is one that does go thru a vertex.

e

Now try to draw a quadrilateral whose only symmetry line is one that does go thru a vertex.



Come on now, your figure is the same type you drew on the previous exercise. It has a symmetry line that does not go through vertices.

f

Now try to draw a quadrilateral whose only symmetry line is one that does go thru a vertex.



OK

Press -NEXT-

Fig. 2 An Example From a Geometry Lesson

FIGURE 3

a



When you are through experimenting, find values of L and R, to the nearest integer, such that the solution matches the experimental data. Judge each answer separately.

d



When you are through experimenting, find values of L and R, to the nearest integer, such that the solution matches the experimental data. Judge each answer separately.

b



When you are through experimenting, find values of L and R, to the nearest integer, such that the solution matches the experimental data. Judge each answer separately.

e



When you are through experimenting, find values of L and R, to the nearest integer, such that the solution matches the experimental data. Judge each answer separately.

c



When you are through experimenting, find values of L and R, to the nearest integer, such that the solution matches the experimental data. Judge each answer separately.

f



When you are through experimenting, find values of L and R, to the nearest integer, such that the solution matches the experimental data. Judge each answer separately.

FIGURE 4

L = 7 OK R = 2 OK



When you are through experimenting, find values of L and R, to the nearest integer, such that the solution matches the experimental data. Judge each answer separately.

g

FIGURE 4 (Cont.)

The increase in blood volume during pregnancy causes certain cardiovascular compensations. What are these compensations?

1.

2.

a

INVESTIGATE

Indicate area of investigation desired:

1

1. Anatomical and physiological changes of pregnancy
2. Nursing strategies
3. Prenatal records

Push (ANS)

b

Investigation Now in Progress

Type name of part desired: CIRCULATORY SYSTEM

(for listing of acceptable requests see (DATA))

Indicate trimester of pregnancy: 3

(use 1, 2, or 3)

Push (ANS)

c

Circulatory System

↑ in blood volume, 50% increase in cardiac work load. Left ventricular hypertrophy. ↑ progesterone produces vasodilation. Pressure from enlarging uterus slows return venous circulation.

d

Dictionary Page 2

hematocrit	orifice	stasis
hemoglobin	os	symphysis pubis
hemorrhoids	papilla	thoracic
hyperplasia	perineum	transient
hypertrophy	physiologic	trimester
labia	predisposition	urethra
lactiferous	preeclampsia	varicosities
LMP	prenatal	vasodilatation
micturation	promontory	VDRL
myometrium	pseudoanemia	vital capacity
Nageles rule	pyelonephritis	xiphoid

Type word to be defined:
Press ANS HYPERTROPHY

e

Dictionary Page 2

hematocrit	orifice	stasis
hemoglobin	os	symphysis pubis
hemorrhoids	papilla	thoracic
hyperplasia	perineum	transient
hypertrophy	physiologic	trimester
labia	predisposition	urethra
lactiferous	preeclampsia	varicosities
LMP	prenatal	vasodilatation
micturation	promontory	VDRL
myometrium	pseudoanemia	vital capacity
Nageles rule	pyelonephritis	xiphoid

Type word to be defined:
Press ANS HYPERTROPHY

INCREASE IN SIZE OF AN ORGAN OR STRUCTURE

f

FIGURE 5

The increase in blood volume during pregnancy causes certain cardiovascular compensations. What are these compensations?

1. HYPERTROPHY OF THE LEFT VENTRICLE OK

2.

g

The increase in blood volume during pregnancy causes certain cardiovascular compensations. What are these compensations?

1. HYPERTROPHY OF THE LEFT VENTRICLE OK

2. THE LEFT VENTRICLE NC

h

The increase in blood volume during pregnancy causes certain cardiovascular compensations. What are these compensations?

1. HYPERTROPHY OF THE LEFT VENTRICLE OK

2. THE LEFT VENTRICLE ENLARGES OK

i

The increase in blood volume during pregnancy causes certain cardiovascular compensations. What are these compensations?

1. HYPERTROPHY OF THE LEFT VENTRICLE OK

2. THE LEFT VENTRICLE ENLARGES OK

DUPLICATE ANSWER

i

The increase in blood volume during pregnancy causes certain cardiovascular compensations. What are these compensations?

1. HYPERTROPHY OF THE LEFT VENTRICLE OK

2. THE LEFT VENTRICLE DECREASES IN SIZE

k

The increase in blood volume during pregnancy causes certain cardiovascular compensations. What are these compensations?

1. HYPERTROPHY OF THE LEFT VENTRICLE OK

2. THE LEFT VENTRICLE [illegible] IN SIZE NO

l

FIGURE 5 (Cont.)


Glass
panels
Transparent
conductors
To
selection
network
Sustaining
signal

FIGURE 6



FIGURE 7

STUDENT TERMINAL



FIGURE 8



FIGURE 9


CENTRAL COMPUTER CENTER (4,000 – 8,000 TERMINALS)
(1.) 4 – 8 MILLION INSTRUCTIONS/SEC
(2.) 2 MILLION WORDS CORE MEMORY
(3.) SPECIAL INPUT OUTPUT COMPUTER
COAXIAL LINES
TO DISTRIBUTION CENTERS
(1,500 TERMINALS/LINE)
TELEPHONE LINES
TO STUDENT TERMINALS
DISTRIBUTION
CENTER

FIGURE 10

NAVY

3 Chief of Naval Research
Code 458
Department of the Navy
Washington, D.C. 20360

1 Director
ONR Branch Office
495 Summer Street
Boston, Massachusetts 02210

1 Director
ONR Branch Office
219 South Dearborn Street
Chicago, Illinois 60604

1 Director
ONR Branch Office
1030 East Green Street
Pasadena, California 91101

1 Contract Administrator
Southeastern Area
Office of Naval Research
2110 G Street, N.W.
Washington, D.C. 20037

10 Commanding Officer
Office of Naval Research
Box 39
Fleet Post Office
New York, New York 09510

1 Office of Naval Research
Area Office
207 West Summer Street
New York, New York 10011

1 Office of Naval Research
Area Office
1076 Mission Street
San Francisco, California 94103

6 Director
Naval Research Laboratory
Washington, D.C. 20390
Attn: Technical Information
Division

20 Defense Documentation Center
Cameron Station, Building 5
5010 Duke Street
Alexandria, Virginia 22314

1 Superintendent
Naval Postgraduate School
Monterey, California 93940
Attn: Code 2124

1 Head, Psychology Branch
Neuropsychiatric Service
U. S. Naval Hospital
Oakland, California 94627

1 Commanding Officer
Service School Command
U. S. Naval Training Center
San Diego, California 92133

3 Commanding Officer
Naval Personnel Research Activity
San Diego, California 92152

1 Commanding Officer
Naval Air Technical Training Center
Jacksonville, Florida 32213

1 Officer in Charge
Naval Medical Neuropsychiatric
Research Unit
San Diego, California 92152

1 Dr. James J. Regan
Naval Training Device Center
Orlando, Florida 32813

1 Chief, Aviation Psychology Division
Naval Aerospace Medical Institute
Naval Aerospace Medical Center
Pensacola, Florida 32512

1 Chief, Naval Air Reserve Training
Naval Air Station
Box 1
Glenview, Illinois 60026

1 Chairman
Leadership/Management Committee
Naval Sciences Department
U. S. Naval Academy
Annapolis, Maryland 21402

1 Technical Services Division
National Library of Medicine
8600 Rockville Pike
Bethesda, Maryland 20014

1 Behavioral Sciences Department
Naval Medical Research Institute
National Naval Medical Center
Bethesda, Maryland 20014
Attn: Dr. W.W. Haythorn, Director

1 Commanding Officer
Naval Medical Field Research Laboratory
Camp Lejeune, North Carolina 28542

1 Director
Aerospace Crew Equipment Department
Naval Air Development Center, Johnsville
Warminster, Pennsylvania 18974

1 Chief, Naval Air Technical Training
Naval Air Station
Memphis, Tennessee 38115

1 Commander
Operational Test and Evaluation Force
U.S. Naval Base
Norfolk, Virginia 23511

1 Office of Civilian Manpower Management
Department of the Navy
Washington, D.C. 20350
Attn: Code 023

1 Chief of Naval Operations, Op-37
Fleet Readiness & Training Division
Department of the Navy
Washington, D.C. 20350

1 Chief of Naval Operations, Op-07TL
Department of the Navy
Washington, D.C. 20350

1 Capt. J.E. Rasmussen, MSC, USN
Chief of Naval Material (MAT 031M)
Room 1323, Main Navy Building
Washington, D.C. 20360

1 Naval Ship Systems Command, Code 03H
Department of the Navy
Main Navy Building
Washington, D.C. 20360

1 Chief
Bureau of Medicine and Surgery
Code 513
Washington, D.C. 20360

9 Technical Library
Bureau of Naval Personnel (Pers-11b)
Department of the Navy
Washington, D.C. 20370

3 Director
Personnel Research Laboratory
Washington Navy Yard, Building 200
Washington, D.C. 20390
Attn: Library

1 Commander, Naval Air Systems Command
Navy Department AIR-4133
Washington, D.C. 20360

1 Commandant of the Marine Corps
Headquarters, U. S. Marine Corps
Code A01B
Washington, D.C. 20380

ARMY

1 Human Resources Research Office
Division #6, Aviation
Post Office Box 428
Fort Rucker, Alabama 36360

1 Human Resources Research Office
Division #3, Recruit Training
Post Office Box 5787
Presidio of Monterey, California
93940
Attn: Library

1 Human Resources Research Office
Division #4, Infantry
Post Office Box 2086
Fort Benning, Georgia 31905

1 Department of the Army
U.S. Army Adjutant General School
Fort Benjamin Harrison, Indiana
46216
Attn: AGCS-EA

1 Director of Research
U.S. Army Armor Human Research Unit
Fort Knox, Kentucky 40121
Attn: Library

1 Dr. George S. Harker
Director, Experimental Psychology
Division
U.S. Army Medical Research Laboratory
Fort Knox, Kentucky 40121

1 Research Analysis Corporation
McLean, Virginia 22101
Attn: Library

1 Human Resources Research Office
Division #5, Air Defense
Post Office Box 6021
Fort Bliss, Texas 79916

1 Human Resources Research Office
Division #1, Systems Operations
300 North Washington Street
Alexandria, Virginia 22314

1 Director
Human Resources Research Office
The George Washington University
300 North Washington Street
Alexandria, Virginia 22314

1 Armed Forces Staff College
Norfolk, Virginia 23511
Attn: Library

1 Chief
Training and Development Division
Office of Civilian Personnel
Department of the Army
Washington, D.C. 20310

1 U. S. Army Behavioral Science
Research Laboratory
Washington, D.C. 20315

1 Walter Reed Army Institute of
Research
Walter Reed Army Medical Center
Washington, D. C. 20012

1 Behavioral Sciences Division
Office of Chief of Research and
Development
Department of the Army
Washington, D.C. 20310

1 Dr. Vincent Cieri
U. S. Army Signal School
CAI Project
Fort Monmouth, New Jersey

AIR FORCE

1 Director
Air University Library
Maxwell Air Force Base
Alabama 36112
Attn: AUL-8110

1 Cadet Registrar (CRE)
U. S. Air Force Academy
Colorado 80840

1 Headquarters, ESD
ESVPT
L.G. Hanscom Field
Bedford, Massachusetts 01731
Attn: Dr. Mayer

1 6570 AMRL (MRHT)
Wright-Patterson Air Force Base
Ohio 45433
Attn: Dr. G. A. Eckstrand

1 Commandant
U.S. Air Force School of Aerospace
Medicine
Brooks Air Force Base, Texas 78235
Attn: Aeromedical Library
(SMSDL)

1 6570th Personnel Research
Laboratory
Aerospace Medical Division
Lackland Air Force Base
San Antonio, Texas 78236

1 AFOSR (SRLB)
1400 Wilson Boulevard
Arlington, Virginia 22209

1 Headquarters, U.S. Air Force
Chief, Analysis Division (AFPDPL)
Washington, D.C. 20330

1 Headquarters, U.S. Air Force
Washington, D. C. 20330
Attn: AFPTRTB

1 Headquarters, U.S. Air Force
AFRDDG
Room 1D373, The Pentagon
Washington, D.C. 20330

1 Research Psychologist
SCBB, Headquarters
Air Force Systems Command
Andrews Air Force Base
Washington, D.C. 20331

MISCELLANEOUS

1 Mr. Joseph J. Cowan
Chief, Personnel Research Branch
U.S. Coast Guard Headquarters
PO-1, Station 3-12
1300 E Street, N.W.
Washington, D.C. 20226

1 Director
Defense Atomic Support Agency
Washington, D.C. 20305

1 Executive Officer
American Psychological Association
1200 Seventeenth Street, N.W.
Washington, D.C. 20036

1 Dr. W. A. Bousfield
Department of Psychology
University of Connecticut
Stoors, Connecticut 06268

1 Dr. Lee J. Cronbach
School of Education
Stanford University
Stanford, California 94305

1 Professor L. E. Davis
Graduate School of Business
Administration
University of California, Los Angeles
Los Angeles, California 90024

1 Dr. Philip H. DuBois
Department of Psychology
Washington University
Lindell & Skinker Boulevards
St. Louis, Missouri 63130

1 Dr. Jack W. Dunlap
Dunlap and Associates
Darien, Connecticut 06820

1 Professor W. K. Estes
The Rockefeller University
New York, New York 10021

1 Dr. John C. Flanagan
American Institutes for Research
Post Office Box 1113
Palo Alto, California 94302

1 Dr. Frank Friedlander
Division of Organizational Sciences
Case Institute of Technology
Cleveland, Ohio 10900

1 Dr. Robert Glaser
Learning Research and Development
Center
Univeristy of Pittsburgh
Pittsburgh, Pennsylvania 15213

1 Dr. Bert Green
Department of Psychology
Carnegie-Mellon University
Pittsburgh, Pennsylvania 15213

1 Dr. J. P. Guilford
University of Southern California
3551 University Avenue
Los Angeles, California 90007

1 Dr. Harold Gulliksen
Department of Psychology
Princeton University
Princeton, New Jersey 0540

1 Dr. M. D. Havron
Human Sciences Research, Inc.
Westgate Industrial Park
7710 Old Springhouse Road
McLean, Virginia 22101

1 Dr. Albert E. Hickey
Entelek, Incorporated
42 Plesant Street
Newburyport, Massachusetts 01950

1 Dr. William A. Hunt
Department of Psychology
Loyola University, Chicago
6525 North Sheridan Road
Chicago, Illinois 60626

1 Dr. Howard H. Kendler
Department of Psychology
University of California
Santa Barbara, California 93106

1 Dr. Robert R. Mackie
Human Factors Research, Inc.
6780 Cortona Drive
Santa Barbara Research Park
Goleta, California 93107

1 Dr. A. B. Nadel
General Learning Corporation
5454 Wisconsin Avenue, N.W.
Washington, D.C. 20015

1 Dr. Slater E. Newman
Department of Psychology
North Carolina State University
Raleigh, North Carolina 27607

1 Dr. C. E. Noble
Department of Psychology
University of Georgia
Athens, Georgia 30601

1 Dr. Henry S. Odbert
National Science Foundation
1800 G Street, N.W.
Washington, D.C. 20550

1 Dr. Harry J. Older
Software Systems, Inc.
5810 Seminary Road
Falls Church, Virginia 22041

1 Dr. Leo J. Postman
Institute of Human Learning
University of California
2241 College Avenue
Berkeley, California 94720

1 Dr. Joseph W. Rigney
Electronics Personnel Research Group
University of Southern California
University Park
Los Angeles, California 90007

1 Dr. Arthur I. Siegel
Applied Psychological Services
Science Center
404 East Lancaster Avenue
Wayne, Pennsylvania 19087

1 Dr. Arthur W. Staats
Department of Psychology
Unversity of Hawaii
Honolulu, Hawaii 96822

1 Dr. Lawrence M. Stolurow
Harvard Computing Center
6 Appian Way
Cambridge, Massachusetts 02138

1 Dr. Donald W. Taylor
Department of Psychology
Yale University
333 Cedar Street
New Haven, Connecticut 06510

1 Dr. Ledyard R. Tucker
Department of Psychology
University of Illinois
Urbana, Illinois 61801

1 Dr. Karl L. Zinn
Center for Research on Learning and Training
University of Michigan
Ann Arbor, Michigan 48104

1 Dr. James J. Asher
Department of Psychology
San Jose State College
San Jose, California 95114

1 Dr. Albert E. Goss
Department of Psychology
Douglass College, Rutgers
The State University
New Brunswick, New Jersey 08903

1 Mr. Halim Ozkaptan, Chief
Human Factors
Martin Company
Orlando, Florida 32809

1 Dr. Alvin E. Goins, Executive Secretary
Personality and Cognition Research Review Committee
Behavioral Sciences Research Branch
National Institute of Mental Health
5454 Wisconsin Avenue, Room 10A11
Chevy Chase, Maryland 20203

1 Headquarters USAF (AFPTRD)
Training Devices and Instructional Technology Division
Washington, D.C. 20330

1 Director
Education and Training Sciences Department
Naval Medical Research Institute
Building 142
National Naval Medical Center
Bethesda, Maryland 20014

1 Dr. Mats Bjorkman
University of Umea
Department of Psychology
Umea 6, Sweden

1 LCDR J.C. Meredith, USN (Ret.)
Institute of Library Research
University of California, Berkeley
Berkeley, California 94720

1 Executive Secretariat
Interagency Committee on Manpower Research
Room 515
1738 M Street, N.W.
Washington, D.C. 20036
Attn: Mrs. Ruth Relyea)

1 Dr. Marshall J. Farr
Assistant Director, Engineering Psychology Program
Office of Naval Research (Code 455)
Washington, D.C. 20360

1 Mr. Joseph B. Blankenheim
NAVELEX 0474
Munitions Building, Rm. 3721
Washington, D.C. 20360

1 Technical Information Exchange
Center for Computer Sciences and Technology
National Bureau of Standards
Washington, D.C. 20234

1 Technical Library
U. S. Naval Weapons Laboratory
Dahlgren, Virginia 22448

1 Technical Library
Naval Training Device Center
Orlando, Florida 32813

1 Technical Library
Naval Ship Systems Command
Main Navy Building, Rm. 1532
Washington, D.C. 20360

1 Technical Library
Naval Ordnance Station
Indian Head, Maryland 20640

1 Naval Ship Engineering Center
Philadelphia Division
Technical Library
Philadelphia, Pennsylvania 19112

1 Library, Code 0212
Naval Postgraduate School
Monterey, California 93940

1 Technical Reference Library
Naval Medical Research Institute
National Naval Medical Center
Bethesda, Maryland 20014

1 Technical Library
Naval Ordnance Station
Louisville, Kentucky 40214

1 Library
Naval Electronics Laboratory Center
San Diego, California 92152

1 Technical Library
Naval Undersea Warfare Center
3202 E. Foothill Boulevard
Pasadena, California 91107

1 Dr. Russ L. Morgan (MRHT)
Training Research Division
Human Resources Laboratory
Wright-Patterson Air Force Base
Ohio 45433

1 Headquarters, Air Training Command
Randolph Air Force Base, Texas 78148
Attn: ATXTD (Dr. Meyer)

1 Mr. Michael Macdonald-Ross
International Training and Education Company Limited
ITEC House
29-30 Ely Place
London EC1
ENGLAND

1 Commanding Officer
U. S. Naval Schools Command
Mare Island
Vallejo, California 94592

1 Dr. Don C. Coombs, Assistant Director
ERIC Clearinghouse
Stanford University
Palo Alto, California 94305

1 CDR H. J. Connery, USN
Scientific Advisory Team (Code 71)
Staff, COMASWFORLANT
Norfolk, Virginia 23511

1 ERIC Clearinghouse
Educational Media and Technology
Stanford University
Stanford, California

1 ERIC Clearinghouse
Vocational and Technical Education
Ohio State University
Columbus, Ohio 43212

1 Dr. Benton J. Underwood
Department of Psychology
Northwestern University
Evanston, Illinois 60201

Security Classification

DOCUMENT CONTROL DATA - R & D

Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified

1. ORIGINATING ACTIVITY (Corporate author) University of Illinois, Board of Trustees Computer-based Education Research Laboratory Urbana, Illinois 61801	2a. REPORT SECURITY CLASSIFICATION Unclassified 2b. GROUP

3. REPORT TITLE

THE DESIGN OF AN ECONOMICALLY VIABLE LARGE-SCALE COMPUTER-BASED EDUCATION SYSTEM

4. DESCRIPTIVE NOTES (Type of report and inclusive dates)

5. AUTHOR(S) (First name, middle initial, last name)

D.L. Bitzer
D. Skaperdas

6. REPORT DATE February, 1969	7a. TOTAL NO. OF PAGES 31	7b. NO OF REFS 15
8a. CONTRACT OR GRANT NO. ONR Nonr 3985 (08) b. PROJECT NO. c. d.	9a. ORIGINATOR'S REPORT NUMBER(S) X-5 9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	

10. DISTRIBUTION STATEMENT

DISTRIBUTION OF THIS REPORT IS UNLIMITED

11. SUPPLEMENTARY NOTES	12. SPONSORING MILITARY ACTIVITY Advanced Research Projects Agency, Office of Naval Research

13. ABSTRACT

The University of Illinois has been experimenting with a computer-based educational system (PLATO) for the past eight years. The system has evolved from a single terminal connected to the ILLIAC I (a medium speed, 1954 vintage computer) to a computer classroom of 20 graphic-pictorial terminals connected to a Control Data Corporation 1604 computer. Using newly-developed technological devices it is economically and technically feasible to develop large-scale computer-controlled teaching systems for handling 4000 teaching stations (PLATO IV) which are comparable with the cost of teaching in elementary schools. The teaching versatility of a large-scale computer is nearly limitless.

DD FORM 1 NOV 65 1473 (PAGE 1)

S/N 0101-807-6811

Security Classification

A-31408

14 KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Computer-assisted Instruction						
Computer-based Instruction						
PLATO						
PLATO IV						
Lesson Sequences						
Geometry						
Electrical Engineering						
Maternity Nursing						
System Economics						
Economical System Design						
Plasma Display Panel						
Student Terminal						
4000 Terminal System						
Data Distribution Cost						